Supplement Facts

Serving Size: 1 Softgel Servings Per Container: 60

	Amount Per Serving	% Daily Value
Vitamin A (as 96.5% Beta Carotene and 3.5% Retinyl Palmitate)	6,000 mcg RAE	667%
Vitamin C (as Ascorbic Acid)	400 mg	444%
Vitamin D (as Cholecalciferol)	37.5 mcg	188%
Vitamin E (as d-Alpha Tocopheryl Acetate, d-Alpha Tocopheryl Polyethylene Glycol Succinat and Mixed Tocopherols)	80 mg	533%
Vitamin K (as Phytonadione)	800 mcg	667%
Zinc (from Zinc Oxide)	10 mg	90%
x - Percent daily value not established		

Other Ingredients: Medium Chain Triglycerides, Gelatin, Glycerin, Polysorbate 20, Caramel (Color), Peppermint Oil, Purified Water.

†This statement has not been evaluated by the Food & Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Softgels

MULTIVITAMIN SUPPLEMENT with A, D, E and K, C and Zinc

Easy-to-swallow softgels



Manufactured for:

MVW Nutritionals, Inc., Huntsville, AL 35806 www.cfmultivitamins.com

1-855-236-8584 (CF-MULTI)

Reimbursement Code: 58204-0004-00

MF SFT PI-9.28.22



Easy-to-swallow softgels



MVW Modulator Formulation Softgels are specifically formulated to supplement the dietary needs of individuals with A, D, E and K who are prescribed modulator therapy and are receiving a CF-specific multivitamin, and have elevated serum vitamin levels of A, E or D.

MVW Modulator Formulation Softgels include lower levels of preformed vitamin A (retinyl palmitate), while offering higher levels of pro-vitamin A (beta carotene). This provides a more individualized and regulated approach to achieving target serum retinol levels, while addressing the reduced conversion efficiency of beta carotene that is seen due to genetic variation in the BCMO1 gene.

MVW Modulator Formulation Softgels contain the fat-soluble vitamins A, D, E and K, plus a higher amount of vitamin C, and zinc. The product is rich in antioxidants due to the beta-carotene, ascorbic acid, alpha-tocopherol, and zinc content; and are gluten and soy free.

MVW Modulator Formulation Softgels were developed to meet or exceed the daily fat-soluble supplemental recommendations as outlined in the 2002 Cystic Fibrosis Foundation Consensus Statement, the recommendations by the 2010 CF Foundation's September multispecialty ad hoc committee recommendations for age-specific step increases in Vitamins D3, and Vitamin K as described in the 2011 Endocrine Society Clinical Practice Guidelines, and recent studies; and offers both clinically studied and patient proven absorption technologies; combined with new and novel approaches to better support absorption through the addition of a solubilizer and a bile fluid stimulator.

DOSAGE AND ADMINISTRATION

Age 4 to 10 years: 1 softgel daily

Age 10 years and older: 1 softgel twice daily, or as directed by their physician. Best taken with meals containing fat and supplemental pancreatic enzymes.

USAGE INFORMATION

MVW Modulator Formulation Softgels may be used in individuals who are prescribed a modulator therapy and elevated serum vitamin levels of A, D or E are seen when a modulator and traditional CF-specific multivitamin is taken concomitantly. For use solely under the direction, control, and supervision of a medical professional.

SAFETY

MVW Modulator Formulation Multivitamin Supplements are safety sealed and provide both outer (surrounding the bottle cap) and inner safety (affixed to the top of the rim of the bottle) seals. If either safety seal is not intact, do not use the product and call MVW Nutritionals immediately at (855) 236-8584 / (855) CF MULTI.

Use caution in any individual who has difficulty swallowing a softgel, or other solid dosage form, as this product may pose a choking hazard.

Keep out of reach of children.

To report a serious adverse event, please contact MVW Nutritionals immediately at 1-855-236-8584/(855) CF MULTI.

CONTRAINDICATIONS

Do not take this product if you have known or suspected allergies or sensitivities to any of the ingredients. Please review the Supplement Facts and Other Ingredients prior to taking the first dose.

High amounts of vitamin A during pregnancy may be harmful to the fetus. Women of childbearing age should consult their physician regarding total vitamin A intake during pregnancy and consider both dietary and supplemental vitamin A intake during this discussion.

Pregnant or breast feeding women should avoid oral dosing of peppermint, and avoid this product as not enough is known about its potential effects on fetuses or nursing infants.

Vitamin K is known to interfere with anticoagulant medications. Persons taking anticoagulants should consult with their physician prior to taking the first dose of MVW Modulator Formulation Multivitamin Supplements.

HOW SUPPLIED

Bottles of 60 softgel capsules.

STORAGE

Store at room temperature, in a dry place away from direct sunlight.